Proposed Playing Field:
100m x 64m Playing Area
following N.P.F.A. recommendations
based on normal practice for
Senior football

Proposed 5m high galvanised ball park perimeter fence along South East and North West end margins, with 1 nr. galvanised pedestrian gate located in centre of fenceline.

NOTE:
Prior to laying drainage, Contractor to expose underground elec cables to determine if need to be diverted around playing field.

NOTE :
Existing drainage ditch invert to be excavated to a gradient 0f 1:100 to permit free flow of surface water

Survey grid aligned to Ordnance Survey. Levels to arbitrary datum.

REV.	REVISION NOTE	DATE	INITIALS
PA	Planning application boundary revised, 5m high galv steel fence added to North West end margin	25/05/15	ERL

MACIVER CONSULTANCY SERVICES
2A STEINISH
STORNOWAY
HS2 0AA
TEL (01851) 704703
FAX (01851) 705753

SCHEME :
Iochdar Playing Fleld
South Uist HS8 5RH

TITLE :
PROPOSED SURFACE WATER
DRAINAGE LAYOUT

FORMAT :	SCALE(S) :	DATE :	JUNE 2014
A1	1:250	DRAWN :	ERL
A3	1:500	CHECKED :	MMI

DRAWING NO. :
14/50/06 PLANNING A